60A Stainless Steel Portable Distribution Panel - 120/240V 1P - (6) 16A Outlets - NEMA 4X

Part #: MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X



Made in the USA

The MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X from Larson Electronics is a Portable Power Distribution Panel that offers operators a 240V primary and secondary single-phase voltage of 120V, six female 120V 16-amp pin/sleeve receptacles and mating plugs, a 60-amp stainless steel main breaker enclosure, and a 60-amp line-in inlet with connector. This power distribution system provides operators the ability to safely tap into power from a variety of sources including generators and direct grid power. This portable panel is suitable for marine outdoor applications.

*PLEASE NOTE: ANY FREE SHIPPING OFFERS DO NOT APPLY TO POWER DISTRIBUTION PANELS, TRANSFORMERS, OR **SUBSTATIONS***

The MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X portable power distribution panel provides a safe and reliable way for operators in industrial settings to tap into and utilize power sources independently of the work area. This unit provides an effective power distribution system for operators performing plant turnarounds, maintenance and cleaning in harsh areas, equipment installations and repairs, and any activities requiring an alternative to native power sources. This portable panel is designed to operate with 240V voltage. The power distribution on this portable panel makes 120V available via (6) female 120V 16-amp IEC-60309 316R4W outlets equipped with mating 316P4W plugs.

Wiring: The MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X is equipped with a 460B12W inlet and 460C12W connector for connecting customer provided line-in cable to the power distribution system.

Power: The main load center is protected by a 60-amp load center with main breaker for circuit protection. Connection for 120V is through (6) female 120V 16A IEC-60309 2P3W outlets with mating plugs from the side of the load center. The load center is mounted within NEMA 4X stainless steel enclosure.

The panel and load center/distribution assembly is mounted to an upright stainless steel dolly cart style frame, resulting in an extremely stable, durable, and mobile power distribution platform. Two run-flat tires and a cart style mounting platform provides easier substation mobility. This temporary power distribution solution can be modified to meet the needs of job-site receptacle requirements. Units are available up to 150kva and can be equipped with skids or trailer mounted.

Applications: This power distribution system is NEMA 4X rated and ideal for indoor/outdoor use and applications including but not limited to; construction sites, plant maintenance, plant turnarounds, hazardous location operations, shows, exhibits, and shipyard operations.

At Larson Electronics, we do more than meet your lighting needs. We also provide replacement, retrofit, and upgrade parts as well as industrial grade power accessories. Our craftsmen can custom build any lighting system and/or accessories to fit the unique demands of your operation. A commitment to honesty, quality, and dependability has made Larson Electronics a leader in the lighting and electronics business since 1973. Contact us today at 800-369-6671 or message sales@larsonelectronics.com for more information about our custom options tailored to meet your specific industry needs.

9419 E US HWY 175, Kemp, TX 75143 Phone: 1 800-369-6671 Fax: 903.498.3364 Email: sales@LarsonElectronics.com

Specifications / Additional Information

MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X Portable

Distribution Panel

Line In: (1) 460B12W inlet & (1) 460C12W connector

Primary Voltage: 240V Single Phase

Max Primary OCP: 60 amps

Panel: 60A 120/240V Single Phase - N4X

Secondary Breakers: (6) 20A (120V)

Secondary Cord Caps: (6) 16A 316R4W outlets & (6) 316P4Wplugs

Form Factor: Stainless Steel Dolly Cart w/ Run Flat Tires

Dimensions: 24"-L x 18"-W X 52"-H

Weight: 250 lbs

Larson Electronics manufacture a wide variety of custom power distribution systems. The pictures displayed for this unit are a general representation of form factor and may not accurately represent this exact configuration in every detail due to being custom builds. The specifics for this configuration are listed in the specification table and one-line diagram.

Ratings

UL 1640 Portable Power-Distribution Equipment

NEMA 3R Indoor or Outdoor Use

Made in the USA

Special Orders- Requirements

Contact us for special requirements

Toll Free: 1-800-369-6671

Intl: 1-903-498-3363

E-mail: sales@larsonelectronics.com

All grounding shall comply with state and local codes and meet the minimum requirements of the National Electronic Code section 250

Scroll Down to Purchase

This product does not qualify for free shipping.

Part #: MGP-120.240V-60A.3P4W-1P-6X16A.2P3W-N4X (146300)

Larson Electronics LLC www.LarsonElectronics.com

9419 E US HWY 175, Kemp, TX 75143 Phone: 1 800-369-6671 Fax: 903.498.3364 Email: sales@LarsonElectronics.com

Links (Click on the below items to view):

- Manual
- Hi-Res Image 1 Mobile Power Distribution Center