

**30W Explosion Proof LED String Light - C1D1/C2D1 - (3) Lamps - 20' 16/3 SOOW Cord - EXP
Cord Cap
EPL-SL-3-LED10W-CM-MOD1**



EPL-SL-3-LED10W-CM-MOD1 Explosion Proof LED String Light

Listing: United States, Canada

Lamp Technology: Cree LED

Lamp Qty: (3)

Lamp Dimensions: 7.44" D x 11.1" H

Weight: -

Voltage: 120-277V AC, 50/60Hz

Total Watts: 30W

Single-lamp Watts: 10W

Total Lumens: 3,150 lms

Single-lamp Lumens: 1,050 lms

Luminous Efficacy: 105 Lm/W

Lamp Life: 50,000+ Hours

Color Temp: 6000K, Red, Amber, Blue, Green, Purple

Color Rendering Index: >75 CRI

Lamp Type: -

Lamp Base: -

Replacement Lamp: -

Beam Angle: 360°

Lighting Configuration: Flood Pattern

Power Efficiency: -

Power Factor: -

Amps: 0.5A @ 120V, 0.25A @ 240V, 0.216A @ 277V

Ambient Operating Temp Range: -55° C to +85°C

Operating Temp Rating: T3C

Housing Material: Copper Free Cast Aluminum

Housing Finish: Powder Coated

Lens Material: Hardened Borosilicate Glass

Mounting: Ceiling

Wiring: 150' 16/3 SOOW Line-in Cord w/ EXP Cord Cap, (5) 20' 16/3 SOOW Cord Between Each Light (Total: 180' 16/3 SOOW Cord)

EXP Cord Cap Options: 5-15P, 5-20P or 6-20P

Ratings/Approvals

Class I, Divisions 1&2 Groups C,D

Class II, Divisions 1&2 Groups E,F

Class III

IP67 - Waterproof

Suitable for Paint Spray Booths

T3C Temperature Rating

Special Orders- Requirements

Contact us for special requirements

Phone: 1-214-616-6180

Toll Free: 1-800-369-6671

Fax: 1-903-498-3364

E-mail: sales@larsonelectronics.com

Options:

EPL-SL-3-LED10W-CM-MOD1-Cord Cap-Color

Example: EPL-SL-3-LED10W-CM-MOD1-1523-1523

Cord Cap	
5-15P	-1523
5-20P	-2023.125V
6-20P	-2023.250V

Color	
6000K WH	-1523
4500K WH	-2023.125V
3000K WH	-2023.250V
RED	BLUE
GREEN	AMBER

Links (Click on the below items to view):

- [large](#)
- [Manual](#)
- [medium](#)
- [SpecSheet](#)
- [HigResPic1](#)