

**40kA Surge Protective Device - 400Y/230 Wyn-n 3PH, 50/60Hz - Wire Leads - Type 1 SPD - N4X
MT-SRG-T1SP-3PH-40KA-400Y.230-N4X**



The Larson Electronics MT-SRG-T1SP-3PH-40KA-400Y.230-N4X Surge Protective Device actively protects electrical systems and sensitive equipment in rugged work sites. This Type 1 SPD is compatible with three-phase 400Y/230V AC Wyn-n, 50/60Hz and is rated at 40kA maximum surge current per phase. Equipped with green diagnostic LEDs, the NEMA 4X rated device is constructed of steel.

The MT-SRG-T1SP-3PH-40KA-400Y.230-N4X offers electrical protection for heavy-duty equipment in industrial buildings. This surge protective device operates with three-phase 400Y/230V AC, 50/60Hz. Equipped with a Wyn-n 4-wire configuration, the unit caters to 40kA maximum surge current per phase and up to -30dB EMI/RFI. Diagnostic LEDs located at the front of the device indicate normal operating conditions, as well as fault conditions on L1, L2 and/or L3.

The industrial SPD is constructed of steel. A NEMA 4X rating provides protection against ingress of water, dust/debris, corrosion and external formation of ice. As a Type 1 surge protective device, the unit is designed for installation between the secondary side of the utility service transformer and the line side of the system's overcurrent protective device. Alternatively, operators may also install the SPD at the main service equipment (load side).

Wiring: This surge protective device accommodates #12 AWG wire leads. Wiring passes through a 0.5" opening at the back side of the unit.

Mount: The MT-SRG-T1SP-3PH-40KA-400Y.230-N4X is compatible with surface mounting applications.

Larson Electronics is a manufacturer and we can build portable power distribution systems to your specifications. Although we carry several models of portable power distribution systems in stock, we can deliver custom ordered units almost as quickly as our prebuilt units. If this model does not meet your needs, please contact us at 1-800-369-6671 or sales@larsonelectronics.com to discuss your specific requirements.



Links (Click on the below items to view):

- [SpecSheet](#)
- [HigResPic1](#)